ζ_{\wedge}

	Application No.	Applicant(s)
Notice of Allowability	10/707,171	BONACCIO ET AL.
	Examiner	Art Unit
	Tuan T. Lam	2816
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 6/14/2005.		
2. X The allowed claim(s) is/are <u>1-3,5-11 and 13-16</u> .		
3. The drawings filed on 25 November 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (atent Application (PTO-152) (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08	Paper No./Mail Date B), 7. ☐ Examiner's Amendm	ent/Comment
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statemer	nt of Reasons for Allowance
of Biological Material	9. Other	Juglar
		TUAN T. LAM PRIMARY EXAMINER

Application/Control Number: 10/707,171

Art Unit: 2816

1. The following is an examiner's statement of reasons for allowance: the amendment filed 6/14/2005 has overcome the prior art of record. The prior art of record fails to teach or fairly suggest a controller comprising a timing circuit and a sequencer electrically connected to the timing circuit and the electrical switch, wherein the timing circuit is configured to generate, with a predetermined delay, a timing circuit trigger input signal to the sequencer, in response to an event signal which signifies an anticipated sudden change in power demand in the on-chip switching circuits, and wherein the sequencer is configured to pen the electrical switch in response to the generation of the timing circuit trigger signal as called for in claims 1 and 9, a controller comprising a first comparator and a sequencer electrically connected to the first comparator and the electrical switch, wherein the first comparator is configured to generate a first comparator trigger input signal to the sequencer, in response to the voltage across the power distribution circuit abruptly increasing, and wherein the sequencer is configured to pen the electrical switch in response to the generation of the first comparator trigger signal as called for in claims 5 and 13. Therefore, claims 1-3, 5-11 and 13-16 are presently allowed.

Page 2

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan T. Lam whose telephone number is 571-272-1744. The examiner can normally be reached on Monday to Friday (7:30 am to 6:00pm).

Application/Control Number: 10/707,171

Art Unit: 2816

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TIMOTHY P. CALLAHAN can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tuan T. Lam Primary Examiner Page 3

Art Unit 2816

6/20/2005